

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

95B249
A3

COTTON VARIETIES PLANTED

1987 CROP



UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee
August 1987

Cotton Varieties Planted, United States 1987 Crop

Deltapine was the leading variety of upland cotton planted in the United States for the 1987-88 season, according to the Cotton Division, Agricultural Marketing Service, USDA. Deltapine accounted for 25 percent of the U.S. acreage planted. Paymaster and Stoneville were the next most popular varieties, each accounting for 13 percent of the total acreage. Acala was the fourth leading variety and made up 7 percent of the national acreage, followed by Tamcot at 6 percent and Lankart at 5 percent. Eighteen varieties accounted for 1 percent or more of the U.S. acreage.

Deltapine was the leading variety of cotton planted in the U.S. and made up 25 percent of the 1987 cotton acreage. Deltapine was the leading variety planted in Alabama, Arizona, Georgia, Louisiana and Mississippi. Deltapine 50 and Deltapine Acala 90 were the two most popular strains, accounting for 9 and 7 percent of the U.S. acreage, respectively.

Paymaster and Stoneville were the next most popular varieties, each accounting for 13 percent of the acreage. Paymaster was the most popular variety planted in Texas and the second most favored variety planted in New Mexico and Oklahoma. The leading strain was Paymaster 145, accounting for 11 percent of the U.S. acreage. Stoneville was the leading variety planted in Arkansas, Missouri and Tennessee and the second most planted variety in Alabama, Louisiana and Mississippi. Stoneville 825 was the most popular strain planted, accounting for 8 percent of the U.S. acreage.

Acala was the fourth most popular variety planted in 1987. This variety accounted for 7 percent of the U.S. acreage and was the leading variety in California and New Mexico and the second most popular variety in Arizona. Acala SJ-2 was the leading Acala strain and accounted for 6 percent of the U.S. acreage.

The fifth most popular variety planted was Tamcot, accounting for 6 percent of the U.S. acreage. Tamcot was the second most popular variety planted in Texas.

The sixth most popular variety planted was Lankart, accounting for 5 percent of the U.S. acreage and was the leading variety planted in Oklahoma.

Pima S-6 remained the leading strain of American Pima cotton planted in the U.S. for the 1987-88 season. Pima S-6 accounted for 95 percent of the total acreage planted and Pima S-5 accounted for 5 percent.

Estimates of the percentage of the various varieties of cotton planted in the United States for 1987 by counties, classing offices and states are presented in this report. The variety data are based primarily on estimates furnished by cotton ginners for the territories served by their gins.

Estimated percentage of upland cotton acreage planted to specified varieties,
United States, 1983-1987

Year	Acala	Delta- pine	Lankart	Pay- master	Stone- ville	Tamcot	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1983	14	16	9	9	16	9	27	100
1984	12	17	7	10	17	7	30	100
1985	10	20	7	11	17	7	28	100
1986	7	27	7	11	16	7	25	100
1987	7	25	5	13	13	6	31	100

Table 1. Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1986 1/

Variety	Production areas	Lots tested	Staple length	Micronaire 2/	Fiber strength HVI 1/8" gage 3/	Fiber length 4/	
						HVI UHM	M/UHM uniformity
	Number	Number	32nd inch	Reading	G/tex	Inch	Percent
GP 3774	2	4	32	3.8	22.6	1.03	80
Lankart 611	3	6	32	3.9	23.6	1.01	79
Paymaster 145	4	8	32	3.5	24.8	1.03	80
Tamcot SP21S	1	2	32	3.1	23.1	1.00	78
Deltapine SR-383	2	4	33	3.2	27.9	1.04	79
Growers GSA 71	1	2	33	2.6	24.9	1.04	78
Lankart PR-75	1	2	33	3.6	23.9	1.04	80
Lankart 57	1	2	33	4.0	23.7	1.04	80
Paymaster 404	1	2	33	3.2	24.5	1.04	79
Tamcot CAMD-E	1	2	33	3.2	24.3	1.04	79
Tamcot SP21	1	2	33	3.2	23.6	1.02	78
Deltapine 20	1	2	34	4.4	25.1	1.06	82
Deltapine 61	2	4	34	4.4	25.2	1.07	80
DES 119	1	2	34	4.2	25.3	1.08	81
McNair 235	2	4	34	4.8	25.4	1.08	82
Paymaster 792	1	2	34	3.0	25.0	1.08	78
Rogers LG-102	1	2	34	2.9	25.3	1.07	78
Stoneville 112	1	2	34	4.2	25.0	1.02	81
Stoneville 213	1	1	34	4.6	23.4	1.03	81
Tamcot SP37H	1	2	34	4.0	23.7	1.06	80
Acala SJ-1	2	3	35	4.4	30.1	1.12	82
Coker 315	5	9	35	4.8	25.7	1.10	81
Deltapine Acala 90	9	18	35	4.5	28.7	1.09	80
Deltapine 41	8	16	35	4.3	25.5	1.10	81
Deltapine 50	7	14	35	4.6	25.2	1.11	81
DES 422	1	2	35	4.2	24.9	1.09	81
Germain's Acala GC-510	5	10	35	4.3	29.9	1.10	82
McNair 220	1	2	35	4.2	24.8	1.10	80
Stoneville 506	5	10	35	4.5	25.7	1.10	81
Stoneville 825	11	22	35	4.7	24.7	1.09	81
Acala SJ-2	4	8	36	4.3	29.8	1.12	81
Acala SJ-5	1	2	36	4.4	27.6	1.12	82
Coker 310	1	2	37	4.4	24.8	1.14	81
Acala 1517-75	1	2	38	3.7	28.4	1.20	82

1/ Compiled from "Summary of Cotton Fiber and Processing Test Results, Crop of 1986, USDA, AMS, Cotton Division, June 1987.

2/ Micronaire reading is a measure of fiber fineness and maturity. This test measures the resistance of a plug of cotton to air flow.

3/ Fiber strength as measured on a high volume instrument (HVI) system using a 1/8-inch gage spacer between the clamp jaws (1/8-inch gage).

4/ HVI upper half mean length is the average length of the longest one-half of the fibers. Length uniformity is a measure of the degree of uniformity of fibers in a sample. It is expressed as an index of the mean/upper half mean length ratio.

Table 2. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop of 1987

Variety	AL	AZ	AR	CA	GA	LA	MS	MO	NM	NC	OK	SC	TN	TX	All other 1/	United States 2/
Acala SJ-2	-	-	-	55	-	-	-	-	1	-	-	-	-	-	-	6
" SJ-5	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	*
" SJC-1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	*
" 1517 E-1	-	-	-	-	-	-	-	-	1	-	-	-	-	*	-	*
" 1517 E-2	-	*	-	-	-	-	-	-	5	-	-	-	-	1	-	*
" 1517-SR1	-	1	-	-	-	-	-	-	10	-	-	-	-	*	-	*
" 1517-75	-	2	-	-	-	-	-	-	23	-	-	-	-	*	-	*
" 1517-77	-	-	-	-	-	-	-	-	14	-	-	-	-	-	-	*
All-Tex WM 571	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1
Bronco 625	-	-	-	-	-	-	-	-	-	-	1	-	-	*	-	*
Cascot C-13	-	1	-	-	-	-	-	-	-	-	9	-	-	3	-	2
" L-7	-	1	-	-	-	-	-	-	1	-	3	-	-	1	-	1
Coker 139	1	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
" 304	*	-	-	-	2	-	-	*	-	6	-	2	-	-	-	*
" 310	*	-	-	-	1	-	-	-	-	11	-	1	-	-	-	*
" 312	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	*
" 315	1	-	-	-	10	-	-	-	-	22	-	58	-	-	-	1
" 500	-	-	-	-	-	-	-	-	-	-	*	-	-	1	-	*
" 3131	-	-	-	-	1	-	-	2	-	-	-	-	-	*	-	*
Deltapine Acala 90	27	53	3	3	48	22	1	*	4	5	6	24	*	3	28	7
" 20	*	3	4	*	-	9	17	10	-	5	-	-	12	1	-	3
" 41	7	3	5	-	10	19	3	3	-	2	-	-	1	2	56	4
" 50	33	2	25	-	4	17	38	28	-	20	-	3	30	1	9	9
" 55	-	-	-	-	-	-	1	-	-	-	-	-	-	*	-	*
" 61	1	9	*	1	-	*	1	*	-	-	-	-	-	*	-	1
" 77	-	17	*	*	-	-	-	-	-	-	-	-	-	-	-	*
" 120	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*
DES 119	1	1	*	-	1	3	10	-	-	-	-	-	1	-	-	1
" 422	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	*
Dunn 119	-	-	-	-	-	-	-	-	1	-	-	-	-	*	-	*
" 120	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
" 219	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	*
" 325	-	-	-	-	-	-	-	-	1	-	*	-	-	*	-	*
" 400	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	*
G & P GP 1005	-	-	-	-	-	-	-	-	-	-	*	-	-	*	1	*
" GP 3755	-	-	-	-	-	-	-	-	-	-	1	-	-	*	-	*
" GP 3774	-	-	-	-	-	-	-	-	-	-	1	-	-	4	1	2
Germain's Acala GC-510	-	*	-	34	-	-	-	-	*	-	-	-	-	-	-	4
Growers GSA 71	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1
" GSA 75	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	*
" GSC 25	-	-	-	-	-	-	-	-	*	-	-	-	-	4	-	2
Holland 1379	-	-	-	-	-	-	-	-	-	-	-	-	-	*	4	*
" 4002	-	-	-	-	-	-	-	-	-	-	1	-	-	*	-	*
" 5677	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	*
Hurdt's 100	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	*
" 700	-	-	-	-	-	-	-	-	-	-	3	-	-	*	-	*
Lankart LX-571	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1
" PR-68	-	-	-	-	-	-	-	-	-	-	1	-	-	*	-	*
" PR-75	-	-	-	-	-	-	-	-	-	-	4	-	-	*	-	*
" 57	-	-	-	-	-	-	-	-	-	-	18	-	-	1	-	1
" 175	-	-	-	-	-	-	-	-	-	-	6	-	-	*	-	*
" 611	-	-	-	-	-	-	-	-	-	-	11	-	-	4	-	2
McNair 220	-	-	-	-	10	-	-	-	1	5	-	*	-	*	-	*
" 235	1	*	1	-	6	*	1	-	1	21	-	9	5	-	-	1
Northrup King KC 380	-	-	-	-	-	-	-	-	-	1	-	-	-	*	-	*
Paymaster 145	-	-	-	-	-	-	-	-	14	-	15	-	-	21	-	11
" 266	-	-	-	-	-	-	-	-	2	-	-	-	-	*	-	*
" 303	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
" 404	-	-	-	-	-	-	-	-	4	-	1	-	-	2	-	1
" 792	-	-	-	-	-	-	-	-	-	-	*	-	-	1	-	*
PD-1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	*
Quapaw	-	-	-	-	-	-	-	-	9	-	-	-	-	*	-	*
Ranger BB 53	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Rosebud PR 80	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1
Simwalt 82	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	*
Stoneville 112	-	-	3	-	*	1	1	1	-	-	3	-	3	*	-	1
" 213	-	-	-	-	-	*	2	-	-	-	*	-	-	-	-	*
" 506	3	2	38	-	*	5	7	39	*	-	2	-	9	1	-	4
" 825	25	*	19	*	7	22	12	16	-	1	1	-	39	3	-	8
Summit Deltapine SR-383	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	4
Sun Valley SV 13	-	*	1	-	-	*	-	-	-	-	-	-	-	*	-	*
Tamcot CAB-CS	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1
" CAMD-E	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	1
" SP21	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2
" SP21S	-	-	-	-	-	-	-	-	-	-	*	-	-	2	-	1
" SP37	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	*
" SP37H	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
All other 3/	*	2	1	1	-	1	1	1	3	1	1	2	-	13	1	11
Total	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

1/ Includes Florida and Kansas. 2/ Totals may not add to overall percentages shown for varieties on page 1 because of rounding and acreages accounting for less than 0.5 percent. 3/ Includes all varieties accounting for less than 0.5 percent and all varieties not listed. * Less than 0.5 percent.

Table 3. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1987

State and County	Delta- pine			G & P GP 3774			Growers			Lankart			Pay- master			Rosebud PR 80			Tancot			Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
Texas:																							
Fisher	*	-	-	5	2	-	-	-	-	6	-	-	5	-	-	29	-	-	18	*	-	18	100
Haskell	33	1	-	24	-	-	-	-	-	1	20	-	-	-	-	4	-	-	-	-	-	17	100
Howard 2/	3	14	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	-	-	15	-	25	100
Jones	-	-	-	9	-	-	-	-	39	40	1	-	-	-	-	-	-	-	3	-	-	8	100
Knox	-	-	-	-	-	-	-	-	-	24	-	-	10	-	-	6	-	-	-	-	-	39	100
Martin 2/	-	5	-	-	-	-	-	-	-	-	-	-	16	-	-	-	-	-	-	-	-	35	100
Mitchell	2	-	-	1	30	-	-	-	-	8	-	-	3	-	-	-	-	2	14	-	-	32	100
Runnells	-	*	-	37	1	-	-	-	*	1	6	-	4	1	19	8	-	-	-	-	-	9	100
Scurry 3/	-	-	-	-	-	25	-	-	-	-	-	-	20	-	-	-	-	45	-	-	-	10	100
Tom Green	4	10	-	17	-	-	-	-	2	2	-	-	-	-	-	2	-	2	1	-	-	14	100
All other	3	36	-	5	-	3	-	-	1	14	3	-	1	2	11	1	-	1	1	-	-	18	100
Office total	6	11	9	2	2	4	4	10	4	5	4	2	11	8	3	19	100						

1/ Includes all varieties less than 0.5 percent and all varieties not listed. 2/ A portion of this county is served by Lamesa Classing Office.
3/ A portion of this county is served by Lubbock Classing Office. * Less than 0.5 percent.

Table 4. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1987

State and County	Cascot		Delta- pine		G & P GP 3774		Hurd's 700		Lankart		Paymaster		Tancot		Other 1/ Total	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
	C-13	L-7		Acala 90		GP		700	LX-571	PR-75	57	175	611	145	404	CAB-CS: CAMD-E:
Oklahoma:																
Beckham	-	-	-	-	7	1	-	17	28	-	6	-	-	-	-	11
Caddo	16	2	-	-	1	2	-	2	*	5	36	-	3	7	20	100
Greer	-	4	*	-	-	9	-	6	26	3	38	-	-	2	12	100
Harmon	-	-	-	-	-	1	-	-	2	-	37	-	-	8	50	100
Jackson	*	-	-	46	2	1	-	-	13	-	9	-	1	-	28	100
Kiowa	7	-	-	-	*	3	-	1	28	34	4	-	3	4	15	100
Tillman	23	-	-	-	-	6	-	2	23	18	1	-	*	6	9	100
Washita	-	4	-	-	-	*	-	3	21	4	46	-	3	*	3	100
All other	5	21	-	-	-	2	-	15	9	-	9	-	*	2	22	100
Total	9	3	6	1	1	3	18	11	15	1	2	4	16	100		
Texas:																
Brisco	1	1	-	-	-	-	-	-	-	-	52	6	-	9	31	100
Collingsworth	2	4	-	-	-	-	8	6	10	-	20	-	9	9	32	100
Cottle	-	-	-	-	-	-	5	-	50	-	25	-	-	-	20	100
Hall	-	1	-	-	-	-	6	1	8	2	76	-	-	-	6	100
Motley	-	-	-	-	1	-	-	-	22	-	41	-	-	-	33	100
Wilbarger	-	-	-	-	29	2	-	-	12	-	-	-	-	*	49	100
All other	-	4	-	-	2	*	6	4	19	4	33	-	-	1	16	100
Total	*	2	-	5	1	3	3	3	18	2	33	2	1	2	25	100
Office total	5	2	3	3	2	2	4	11	24	2	2	3	19	100		

1/ Includes all varieties less than 0.5 percent and all varieties not listed. 2/ Includes small acreages in Kansas. * Less than 0.5 percent.

Table 5. Bakersfield Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1987

State and County	Acala		German's		Acala		SJ-2		SJ-5		SJC-1		GC-510		Other		Total	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
California:																		
Kern	76	2	5	17	-	-	-	-	-	-	-	-	-	-	-	*	100	
King 2/	90	-	1	9	-	-	-	-	-	-	-	-	-	-	-	-	100	
Tulare 2/	53	4	5	38	-	-	-	-	-	-	-	-	-	-	-	-	100	
Office total	76	2	3	19	-	-	-	-	-	-	-	-	-	-	-	*	100	

1/ Includes all varieties less than 0.5 percent and all varieties not listed. 2/ A portion of this county is served by Fresno Classing Office.
* Less than 0.5 percent.

Table 6. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1987

State and County	Coker		Deltapine		DES		McNair		Stoneville		Tifcot		Other		Total	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Alabama:																
Cherokee	-	13	-	-	16	-	17	-	8	42	4	-	-	-	100	
Colbert	-	-	-	-	51	-	-	-	1	46	-	2	-	-	100	
Dallas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100	
Elmore	-	-	-	32	-	-	-	15	-	3	-	-	-	-	100	
Lauderdale	-	-	-	-	15	-	-	-	1	84	-	-	-	-	100	
Lawrence	-	-	-	-	70	-	-	-	*	7	-	-	-	-	100	
Limestone	-	-	-	-	75	-	-	-	*	25	-	-	-	-	100	
Madison	-	-	-	-	26	-	-	-	17	57	-	-	-	-	100	
All other	1	-	1	16	12	2	1	1	*	8	-	1	-	-	100	
Total	*	1	*	7	33	1	1	1	3	25	*	*	*	*	100	
Office total 2/	*	1	*	9	32	1	1	1	3	24	*	*	*	*	100	

1/ Includes all varieties less than 0.5 percent and all varieties not listed. 2/ Includes small acreages in Florida. * Less than 0.5 percent.

Table 7. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1987

State and County	Deltapine				G & P				Stoneville				Tamcot				Other 1/ Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
Texas:																	
Nueces	15	-	3	-	-	-	12	2	-	5	46	3	8	6	100		
San Patricio	10	8	-	-	3	1	8	4	-	1	48	1	12	4	100		
All other	2	-	3	17	7	16	11	-	6	6	19	-	9	4	100		
Office total	11	4	2	3	1	4	10	2	1	3	43	1	10	4	100		

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

Table 8. El Centro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1987

State and County	Deltapine				Germain's: Stoneville				Other 1/ Total			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
California:												
Imperial	17	4	-	61	2	16	*	-	-	-	-	100
Riverside	91	1	-	5	-	3	*	-	-	-	-	100
Total	66	2	-	24	1	7	*	-	-	-	-	100
Arizona:												
Yuma	15	1	1	17	51	1	14	-	-	-	-	100
Total	15	1	1	17	51	1	14	-	-	-	-	100
Office total	46	2	*	7	34	1	10	*	-	-	-	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed. * Less than 0.5 percent.

Table 9. El Paso Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1987

State and County	Acala			Cascot			Coker			Deltapine			Dunn			McNair			Pay- master			Stone- ville			Other 1/			Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
Texas:																												
Total	3	-	-	-	-	-	-	-	-	10	51	10	-	12	8	-	5	1	100									
New Mexico:																												
Dona Ana	76	5	1	1	-	-	-	-	-	15	-	-	-	2	-	-	-	-	100									
Eddy	-	63	2	-	-	-	-	-	-	8	-	-	-	3	-	-	-	24	100									
All other	30	7	10	24	-	-	-	-	-	1	-	-	12	1	-	11	1	3	100									
Total	32	20	6	14	-	-	-	-	-	5	-	-	7	2	-	6	*	8	100									
Arizona:																												
Cochise	24	-	2	9	12	15	-	-	-	35	-	-	-	-	-	-	-	3	100									
All other	14	-	-	-	-	-	-	-	-	77	-	-	-	-	-	-	5	4	100									
Total	20	-	1	5	7	9	-	-	-	52	-	-	-	-	-	-	2	4	100									
Office total	21	9	3	8	2	3	3	3	3	32	2	3	3	4	2	3	2	3	100									

1/ Includes all varieties less than 0.5 percent and all varieties not listed. * Less than 0.5 percent.

Table 10. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1987

State and County	Coker			Deltapine			McNair			Northrup King KC 380			PD-1	SC-1	Stone- ville 825	---	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
North Carolina:																		
Cleveland	12	25	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
Halifax	7	17	5	3	8	3	20	7	23	7	-	-	-	-	-	-	-	100
Northampton	3	8	2	-	12	-	37	10	18	-	-	-	-	-	10	-	-	100
All other	6	9	29	8	2	3	17	3	23	-	-	-	-	-	-	-	-	100
Total	6	11	22	5	5	2	20	5	21	2	-	-	-	-	1	-	-	100
South Carolina:																		
Calhoun	-	-	72	26	-	-	-	-	-	-	-	2	-	-	-	-	-	100
Lee	1	2	71	26	-	-	*	-	-	-	-	-	-	-	-	-	-	100
Marlboro	-	-	52	14	-	-	13	-	21	-	-	-	-	-	-	-	-	100
Orangeburg	7	2	52	32	-	-	3	-	-	-	-	4	-	-	-	-	-	100
Sumpter	2	-	47	50	-	-	-	-	*	-	-	1	-	-	-	-	-	100
All other	3	3	55	16	-	-	1	1	18	-	-	2	*	-	-	-	1	100
Total	2	2	58	24	-	-	3	*	9	-	-	2	*	-	-	-	*	100
Office total	3	4	44	17	2	1	10	2	14	1	1	1	*	-	1	-	*	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed. * Less than 0.5 percent.

1/ Includes all varieties less than 0.5 percent and all varieties not listed. * Less than 0.5 percent.

Table 17. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1987

State and County	All-Tex WM 571		Cascot		Coker		G & P		Growers		Paymaster		Ranger		Summit		Tamcot		Other		Total	
	Pct.		Pct.		Pct.		Pct.		Pct.		Pct.		Pct.		Pct.		Pct.		Pct.		Pct.	
Texas:																						
Bailey	3	14	1	-	-	-	-	2	7	40	-	-	-	-	-	-	2	31	100			
Castro	-	-	6	-	-	-	-	-	-	80	-	-	-	-	-	-	-	12	100			
Cochran	-	25	-	-	-	-	-	-	-	25	-	-	-	-	1	-	-	49	100			
Crosby	1	-	*	-	-	-	1	2	19	22	6	4	4	22	-	5	13	100				
Dickens	-	-	-	-	-	-	75	-	-	-	-	-	-	-	-	-	-	25	100			
Floyd	1	6	4	-	-	-	1	2	25	29	1	7	4	1	1	7	12	100				
Garza	5	-	-	-	-	-	-	5	10	10	-	10	-	40	-	20	100					
Hale	-	1	1	-	-	-	-	1	5	79	-	1	-	1	1	2	100					
Hockley	3	-	*	-	-	-	-	7	13	24	4	1	2	18	6	21	100					
Lamb	-	-	-	-	-	-	1	9	20	51	2	1	3	2	1	6	100					
Lubbock	7	-	*	-	-	-	-	6	4	16	4	18	7	9	3	14	100					
Lynn 2/	-	-	*	-	-	-	-	9	3	12	6	-	6	52	1	9	100					
Parmer	-	-	-	-	-	-	-	16	-	47	-	-	-	-	1	31	100					
Swisher	-	-	-	-	-	-	-	-	1	81	-	-	-	-	-	12	100					
Terry 2/	1	1	*	-	-	-	-	12	*	34	*	-	-	27	1	22	100					
Yoakum 2/	-	15	39	-	-	-	-	-	-	28	-	-	-	2	-	16	100					
All other	-	-	-	-	-	-	-	-	-	50	-	-	-	-	-	40	100					
Total	2	3	3	2	2	2	2	5	9	33	2	4	3	13	3	14	100					

New Mexico:

Total 3/

8

31

-

-

61

100

Office total

2

33

2

4

13

3

14

100

1/ Includes all varieties less than 0.5 percent and all varieties not listed. 2/ A portion of this county is served by Lamesa Classing Office.
 3/ Includes Quay and Roosevelt counties. * Less than 0.5 percent.

Table 18. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1987

State and County	Coker		Deltapine		McNair		Stoneville		Tifcot		Other		Total	
	Pct.		Pct.		Pct.		Pct.		Pct.		Pct.		Pct.	
Georgia:														
Burke	-	-	19	-	53	12	8	-	-	-	-	-	100	
Colquitt	-	4	-	-	64	24	4	-	-	-	-	-	100	
Dooly	-	-	37	-	33	-	-	-	-	-	-	-	100	
All other	3	1	5	1	48	9	5	1	8	1	-	-	100	
Office total	2	1	10	1	48	10	4	1	7	*	-	-	100	

1/ Includes all varieties less than 0.5 percent and all varieties not listed. * Less than 0.5 percent.

Table 19. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1987

State and County	Deltapine				DES				Stoneville				Sun Valley SV 13				Other 1/			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Total
Tennessee:																				
Crockett	-	10	-	-	29	1	-	-	3	12	45	-	-	-	-	-	-	-	-	100
Fayette	4	19	-	-	28	-	-	-	-	9	28	-	-	-	-	-	-	-	-	100
Gibson	-	10	-	-	20	-	-	-	-	6	59	-	-	-	-	-	-	-	-	100
Hardeman	-	12	7	-	30	-	-	-	-	8	33	-	-	-	-	-	-	-	-	100
Haywood	-	11	3	-	29	-	-	-	4	9	41	-	-	-	-	-	-	-	-	100
Lauderdale	-	-	-	-	12	8	-	-	22	23	35	-	-	-	-	-	-	-	-	100
Madison	2	9	-	-	22	2	-	-	-	8	51	-	-	-	-	-	-	-	-	100
Shelby	-	19	-	-	60	2	-	-	-	-	19	-	-	-	-	-	-	-	-	100
All other	-	15	2	-	43	-	-	-	1	8	24	-	-	-	-	-	-	-	-	100
Total	*	12	1	-	30	1	-	-	3	9	39	-	-	-	-	-	-	-	-	100
Arkansas:																				
Crittenden	-	10	10	-	30	-	-	-	10	5	25	10	-	-	-	-	-	-	-	100
Total	-	10	10	-	30	-	-	-	10	5	25	10	-	-	-	-	-	-	-	100
Mississippi:																				
Calhoun 2/	-	20	-	-	20	-	-	-	-	30	30	-	-	-	-	-	-	-	-	100
Marshall	-	32	-	-	50	8	-	-	3	5	-	-	-	-	-	-	-	-	-	100
Panola 2/	-	26	7	-	21	24	4	-	-	16	2	-	-	-	-	-	-	-	-	100
Tate	-	11	8	-	42	11	11	9	-	-	8	-	-	-	-	-	-	-	-	100
All other	4	18	5	-	31	5	3	11	1	15	7	-	-	-	-	-	-	-	-	100
Total	3	21	4	-	33	8	4	7	1	13	6	-	-	-	-	-	-	-	-	100
Office total	1	14	2	-	31	3	1	5	3	10	29	1	-	-	-	-	-	-	-	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed. 2/ A portion of this county is served by Greenwood Classing Office. * Less than 0.5 percent.

Table 20. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1987

State and County	Deltapine				DES				Stoneville				Sun Valley SV 93				Other 1/			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Total
Arizona:																				
Maricopa	58	3	2	5	1	*	25	5	-	-	*	-	1	3	-	-	*	-	-	100
Pima	8	25	1	-	-	-	-	-	17	42	-	6	1	-	-	-	1	-	-	100
Pinal	68	4	8	2	-	-	14	3	*	-	-	-	-	-	-	-	1	-	-	100
All other	74	2	-	3	-	1	13	-	-	-	-	-	3	-	-	-	4	-	-	100
Office total	60	4	4	4	*	*	20	3	1	2	*	*	1	*	-	-	1	-	-	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed. * Less than 0.5 percent.

Table 21. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1987

State and Parish	Deltapine			DES			McNair			Stoneville			Summit			Other 1/ Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
Louisiana:																
Caddo	-	1	5	1	38	26	14	-	-	5	8	-	-	2	100	
Catahoula	-	-	13	3	35	-	-	-	7	-	42	-	-	-	100	
East Carroll	-	48	11	-	11	3	-	1	-	1	23	1	1	*	100	
Franklin	*	13	3	3	6	1	-	1	-	5	68	-	-	*	100	
Morehouse	-	6	12	41	30	2	-	-	-	5	4	*	*	-	100	
Rapides	-	17	15	30	25	-	-	1	-	4	8	-	-	-	100	
Richland	-	41	9	10	14	4	-	3	-	15	4	-	-	-	100	
Tensas	-	9	14	59	18	-	-	-	-	-	-	-	-	-	100	
West Carroll	-	59	3	-	2	-	1	4	-	1	30	-	-	-	100	
All other	-	14	14	29	25	2	1	2	-	3	10	-	-	-	100	
Office total	*	22	10	19	17	3	1	1	*	5	22	*	*	*	100	

1/ Includes all varieties less than 0.5 percent and all varieties not listed. * Less than 0.5 percent.

Table 22. Waco Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1987

State and County	All-Tex		Bronco		Cascot		Deltapine		G & P		Lankart		Rosebud		Stoneville		Tamcot		Other		Total
	857		625		C-13		Acala		GP 3774		57	611	PR 80		506	825	SP37H		1/		
Texas:																					
Brazos	-		-		-		1	10	15	-		-		-		-		-		-	100
Ellis	7		-		-		3	-	-	-		-		4	19	-		4		18	100
Fort Bend	-		-		-		-	2	37	33		-		-	-	10		-		2	100
Hill	-		-		-		-	-	-	-		-		-	-	-		-		22	100
Hunt	19		-		-		-	-	-	-		22		-	-	-		-		8	100
Navarro	30		-		-		-	-	-	-		10		-	-	-		18		3	100
Robertson	-		-		-		15	-	3	-		-		-	-	-		-		2	100
Williamson	3		11		12		2	1	-	-		-		6	38	-		1		17	100
All other	3		1		5		2	11	5	1		4		9	9	9		8		18	100
Office total	4		2		4		2	5	7	5		2		11	5	5		5		13	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed. * Less than 0.5 percent.

Table 23. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1987

State	Pima S-5	Pima S-6	Other	Total
	Percent	Percent	Percent	Percent
Arizona	8	92	-	100
New Mexico	1	99	-	100
Texas	-	100	-	100
United States	5	95	-	100

Table 24. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1987

Classing Offices	Pima S-5	Pima S-6	Other	Total
	Percent	Percent	Percent	Percent
El Paso:				
Arizona	-	100	-	100
New Mexico	1	99	-	100
Texas	-	100	-	100
Office total	*	100	-	100
Phoenix:				
Arizona				
Office total 1/	9	91	-	100

1/ Includes small acreages in El Centro Classing Office area.

* Less than 0.5 percent.

